


COVID-19 VACCINATION UPDATE

Housekeeping Notes

- Please mute your microphones.
- This meeting will be recorded.
- Submit your questions via the chat feature.




Vaccination Steering Committee








Background



Source: New York Times 12-6-2020


Coronavirus in the U.S.

New reported deaths by day



These are days with a data reporting anomaly. Read more here.


Cumulative Deaths – 281,202



Source: New York Times 12-6-2020

COVID-19 Cases in New Jersey

COVID-19 Dashboard



Camden County is among the leading areas statewide for new COVID-19 cases.

507 new cases occurred on Dec. 6 alone, bringing the reported total to 21,635 people since March.

NJDOH reports 700 total COVID-19 deaths in Camden County.



Pfizer & Moderna *A Closer Look*

Many Vaccines are in Development.

The FDA is likely to grant "emergency use authorization."

Virtua anticipates receiving a limited quantity in mid-December, with additional shipments arriving every week to follow.



mRNA vaccines

- NOT new technology
- NOT live virus
- NOT affecting DNA





Study Results: Pfizer

43,500+ study participants Reported 95% efficacy at 7 days after second vaccination

- 170 cases of COVID-19 observed in trial
 - 162 infections among the placebo group
 - 8 infections among the group that received the two-dose vaccine
- 10 cases of severe COVID-19 infection among participants
 - 9 severe infections among the placebo group
 - 1 severe infection among the vaccine-treated group

This suggests the vaccine may prevent not only mild cases, but also the type of serious disease that leads patients to die or be hospitalized.



Study Results: Moderna

30,000+ study participants Reported 94.1% efficacy

- 196 cases of COVID-19 observed in trial
 - 185 infections among the placebo group
 - 11 infections among the vaccinated drug group
- 30 cases of severe COVID-19 infection among participants
 - All 30 severe infections were among the placebo group

No cases of severe disease occurred in the vaccinated group.



Reactions / Undesirable Effects

Resolve within a few days

Pain at injection site

• Up to 80%, mild or moderate

"Common Reactions"

At least 1 in 10

- Fatigue
- Headache
- Myalgia/muscle aches
- Chills
- Fever

May be more prominent after second injection.



Reactions / Undesirable Effects

Moderna Press Release

Severe events that occurred in greater than 2% of patients included fatigue and muscle pain, which happened in nearly 1 patient in 10, and headache and achiness.

These events were "generally short-lived."





Top Questions

Safety & Efficacy Questions

- Should people who had COVID-19 still get vaccinated?
- How long after receiving the vaccine can someone be considered immune, and how long does the immunity last?



Distribution Questions


- Which departments and divisions will receive the vaccine first?
- How long will it take for all colleagues to be vaccinated?
- When will vaccines be available for our families?
- Is the vaccine mandatory for all colleagues?





Stay Connected

Take the Survey on Virtua Works






Sign Up for MyChart





Read All Email Communications



Virtua Health

Clinician Update November 19, 2020

Wave 2 COVID-19 Response

Virtua held a special webinar last night to help clinicians navigate the response to Wave 2. The discussion involved the sharing of latest numbers and trends; screening, treatment, and safety protocols; testing options; emotional support resources; and more. Over 300

Some of the highlights:

Dr. Andy Cohen discussed transfer

Consult the VINE Regularly

Visit the Vaccination Information Hub on the Virtua VINE. Look for FAQs, fact sheets, videos, and operational updates in the days/weeks ahead.



When Questions Arise:

- Consult the VINE.
- Check with your leader.
- Send your questions to virtuainfo@virtua.org.



